

# Vegetation Monitoring Report – Pre-treatment

Greater Rio Grande Watershed Alliance

## Valencia SWCD Project Site

Tome

September 2012

### Background:

Vegetation monitoring was conducted at this site on January 30, 2012 as part of a restoration project targeting non-native phreatophytes scheduled for winter 2011 – 2012. The project is located within Valencia County, NM, west of the village of Tome (see Figure 1 below). It is on the east side of the Rio Grande, between the levee road and river. The project was sponsored by the Valencia Soil and Water Conservation District. Restoration goals are to restore the area for wildlife use, particularly wild turkey habitat, and to remove non-native woody invasive plants. (Miller, undated).




Figure 1. Project Location

**Persons contacted:**

Charlie Lujan                      Valencia SWCD

Madeline Miller                   Valencia SWCD

2600 Palmilla Rd  
Los Lunas, NM 87002  
(505) 865-5807

**Monitoring team:**

Joe Zebrowski                      New Mexico Forest and Watershed Restoration Institute

**Procedures:**

Due to the short timeframe between project selection and implementation, only a narrow window was available to perform monitoring and that window was outside the optimum season for performing vegetation monitoring in this type of landscape. For that reason, a hasty monitoring protocol was developed. This protocol was based on placing photo point plots at locations distributed across the project area and representative of the diversity of the project area. In addition, an estimate of ground and canopy cover by percent within a 1/10 acre circular plot centered at the photo point was determined using ocular estimates. Overstory canopy was determined for a 1/10 acre circular area, also centered at the photo point. Finally, a Hink & Ohmart style vegetation structure assessment was performed. Vegetation species that were observed at each plot and in the project area were recorded. The plot size and density of observations limit the utility of this monitoring for describing overall site conditions or for generating any meaningful statistics.

Cover (%)											
Tree canopy	Seedlings/saplings <5'/5 – 15'		Shrubs		Gramanoid	Forbs	Litter	Bare Soil	Rock	Gravel	Water or wet soil

*Figure 2. Categories used for percent cover estimates.*

A base map of the project location was constructed using project boundary data provided by New Mexico State Forestry. Planned photo points were selected by visual inspection of May 2011 true-color digital orthorectified aerial photography obtained from the United States Department of Agriculture (<http://datagateway.nrcs.usda.gov/>). A GIS file for the photo point plots was created using ArcGIS software. Coordinates were derived from the GIS file and loaded into a Garmin GPS 60 CSx Global Positioning System and a Trimble 2005 GeoXM Global Positioning System. The Garmin GPS was used to navigate to the general location of the planned photo point. The actual location of the photo point was determined by visual inspection of the area and selection was based on the ability to physically occupy a position at or near the planned point. The coordinates of the photo point were then collected using the more precise Trimble GeoXM GPS.

Once the plot location was determined, a 1/100 acre radius plot was established by placing pin-flags at 11' 9" from plot center in each cardinal direction. Photos were taken from plot center in each cardinal direction and from a distance north of plot center (66', where possible) toward plot center. Ocular estimates were made of understory canopy and ground cover within the 1/100 plot. Overstory canopy cover was estimated using a concave spherical densitometer, with

measurements made in four cardinal directions, approximately mid-way between plot center and the edge of the 1/100 acre plot. This method provides an estimate of canopy cover for a 1/10 acre area centered on the plot. A Hink & Ohmart structure class determination was made using a worksheet developed by SWCA Environmental Consultants (see Figure 3 below). Finally, plant species observed within the 1/10 area around the plot were recorded, as were other comments document conditions at the plot.

Date _____	Recorder _____	UTM • E _____	Polygon ID _____	H&O Classification:		
		N _____	Waypoint _____			
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%					
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%					
		40'	TYPE 1	TYPE 2	TYPE 3	TYPE 4
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%					
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%					
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%	35'				
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%					
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%	30'				
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%					
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%	25'				
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%					
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%	20'				
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%					
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%	15'				
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%					
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%	10'				
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%					
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%	5'				
<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%					
SPECIES:		LC = New Mexico Locust				
A = False Indigobush	LY = Wolfberry					
ATX = Fourwing Saltbush	MB = Mulberry					
B = Baccharis (seep willow)	NMO = New Mexico Olive	<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%	15'	TYPE 5	TYPE 6
BD = Broom Dalea	RO = Russian Olive	<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%			
C = Cottonwood	SB = Silver Buffaloberry	<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%	10'		
CAT = Cattail	SBM = Screwbean Mesquite	<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%			
CR = Creosote	SC = Salt Cedar	<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%	5'		
CT = Catalpa	SE = Siberian Elm	<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%			
CW = Coyote Willow	SS = Sand Sage	<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%			
HL = Honey Locust	TH = Tree of Heaven	<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%			
HMS = Honey Mesquite	TS = Threeleaf Sumac	<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%			
J = Juniper	TW = Tree Willow	<input type="checkbox"/> 25-75%	<input type="checkbox"/> 75-100%			

Figure 3. Hink & Ohmart Structural Class Worksheet (courtesy SWCA)

**Observations:**

The project area is lightly wooded, with most of the wooded area near the river and consisting of a light, multi-tiered understory and a mostly cottonwood overstory. It had been treated in the mid-2000s. Much of the area consists of grassy openings. Large downed woody debris and masticated material was present throughout the site. Since monitoring was done so late in the fall, sparse forb and grasses cover may be attributed to seasonal dormancy. The plots were assessed to fall in Hink & Ohmart Structure Classes 2, 4, 5, and 6. Identification of forb, grasses and some shrub species was also impacted by the limited plant identification skills of the monitoring team and by the season.



Figure 4. Close up view (pre-treatment) of project area showing plot locations.

PT_ID	Horz_Prec (meters)	Std_Dev	Northing	Easting	Longitude	Latitude
T_1	1.6	0.001273	3845890	340449	-106.742957	34.742694
T_2	2.1	0.000889	3845729	340440	-106.743007	34.741214
T_3	1.5	0.001466	3845828	340568	-106.741572	34.742074

Northing and easting; NAD 1983 UTM Zone 13  
 Longitude and Latitude: World Geodetic System 1984 (WGS 84)  
 Data collected with Trimble GeoExplorer 2005 GeoXM, post-processed with Trimble Pathfinder Office software.

Figure 5. Plot coordinates.

**Species observed:**

Grasses		Forbs	
<i>Scientific name</i>	Common name	<i>Scientific name</i>	Common name
<i>Distichlis spicata (L.) Greene</i>	Inland Salt grass	<i>Artemisia frigida</i>	Fringed Sage
		<i>Machaeranthera tanacetifolia</i>	Purple Aster
		<i>Opuntia spp.</i>	Prickly Pear

Shrubs		Trees	
<i>Scientific name</i>	Common name	<i>Scientific name</i>	Common name
<i>Salix exigua</i> Nutt.	Coyote Willow	<i>Populus deltoides</i>	Cottonwood
<i>Atriplex canescens</i>	Fourwing saltbush	<i>Elaeagnus angustifolia</i>	Russian Olive

Figure 6. Species observed.

**Conclusions and Recommendations:**

Monitoring of this and other Greater Rio Grande Watershed Alliance project sites was constrained by time and resource availability. Due to these constraints, it was determined that the hasty method described in the Procedures section above would provide the minimum information necessary to determine the effectiveness of these treatments. Plot photos, in particular, will provide a good reference for assessing post treatment conditions. Monitoring crew members had limited skills in plant identification and Hink & Ohmart Structure Class determination. Vegetation identification was further complicated by the fact that most of the grasses and forbs were dormant. Despite these limitations, the monitoring adequately described the tree species variety and the overall site characteristics. Supplemental pre- and post- treatment photos are included in Horizon Environmental Services, Inc. Claunch-Pinto Soil and Water Conservation District Greater Rio Grande Watershed Alliance Riparian Restoration Projects Final Report, attached. This report also includes a description of the work accomplished and the methods used. Reports such as this should be required for all projects.

New, more robust monitoring protocols are being developed by the New Mexico Forest and Watershed Restoration Institute. These new protocols will be used for post-treatment monitoring and on future Greater Rio Grande Watershed Alliance projects. Monitoring crews will be provided training in the use of these new protocols. Future crews should also be provided with training in riparian plant identification and Hink & Ohmart structure class determination.

**References:**

Cartron, J.-L., D.C. Lightfoot, J.E. Mygatt, S.L. Brantley, and T.K. Lowrey. 2008. *A Field Guide to the Plants and Animals of the Middle Rio Grande Bosque*. University of New Mexico Press, Albuquerque.

Horizon Environmental Services, Inc. 2012. *Claunch-Pinto Soil and Water Conservation District Greater Rio Grande Watershed Alliance Riparian Restoration Projects Final Report*.

Miller, M and A. Luna. Undated. *Valencia SWCD Bosque Restoration FY2011 Conservation Plan: Los Lunas to Belen Reach*. Valencia Soil and Water Conservation District, Los Lunas, NM.

United States Department of Agriculture, Natural Resources Conservation Service. 2012. *Plants Database* (<http://plants.usda.gov>)

**Project:** Valencia SWCD  
**Project Unit:** Tome  
**Plot:** T\_1

Date:	1/30/2012
Time:	1405
Plot size:	1/100

Cover (%)											
Tree canopy	Seedlings/saplings		Shrubs <5'/5 - 15'		Gramanoid	Forbs	Litter	Bare Soil	Rock	Gravel	Water or wet soil
3	0	5	0	5	20	20	59	1	0	0	0

Hink & Ohmart Class: 2/6

Species observed:

Grasses	Forbs	Shrubs	Trees
?	<i>Machaeranthera tanacetifolia</i>	<i>Salix exigua</i> Nutt.	<i>Populus deltoides</i>
			<i>Elaeagnus angustifolia</i>

Comments:

Masticated/mulched material and coarse woody debris present.



## T\_1 Plot Photos



March 2011 Aerial View, Circle = 1/10 acre



Plot Center from North



Looking East from Plot Center



Looking South from Plot Center



Looking West from Plot Center



Looking North from Plot Center



**Project:** Valencia SWCD  
**Project Unit:** Tome  
**Plot:** T\_2

Date:	1/30/2012
Time:	1435
Plot size:	1/100

Cover (%)											
Tree canopy	Seedlings/saplings		Shrubs <5'/5 - 15'		Gramanoid	Forbs	Litter	Bare Soil	Rock	Gravel	Water or wet soil
78	0	15	0	0	15	0	73	12	0	0	0

Hink & Ohmart Class: 4

Species observed:

Grasses	Forbs	Shrubs	Trees
<i>Distichlis spicata</i> (L.) Greene			<i>Populus deltoides</i>
?			<i>Elaeagnus angustifolia</i>

Comments:

Masticated/mulched material and coarse woody debris present.



## T\_2 Plot Photos



March 2011 Aerial View, Circle = 1/10 acre



Plot Center from North



Looking East from Plot Center



Looking South from Plot Center



Looking West from Plot Center



Looking North from Plot Center

**Project:** Valencia SWCD  
**Project Unit:** Tome  
**Plot:** T\_3

<b>Date:</b>	1/30/2012
<b>Time:</b>	1500
<b>Plot size:</b>	1/100

Cover (%)											
Tree canopy	Seedlings/saplings		Shrubs <5'/5 – 15'		Gramanoid	Forbs	Litter	Bare Soil	Rock	Gravel	Water or wet soil
2	0	0	0	0	16	14	20	50	0	0	0

**Hink & Ohmart Class:** 4

**Species observed:**

Grasses	Forbs	Shrubs	Trees
?	<i>Opuntia spp.</i>	<i>Artemisia frigida</i>	<i>Populus deltoides</i>

**Comments:**

Some masticated/mulched material present.


## T\_3 Plot Photos



March 2011 Aerial View, Circle = 1/10 acre



Plot Center from North



Looking East from Plot Center



Looking South from Plot Center



Looking West from Plot Center



Looking North from Plot Center